GOOSE RIDGE ESTATES PHASE 2 PORTIONS OF THE NE 1/4 OF SECTION 32, TOWNSHIP 09 NORTH, RANGE 28 EAST, W.M., CITY OF RICHLAND, BENTON COUNTY, WASHINGTON.

PROJECT SITE

LEGAL DESCRIPTION

TRACT L, PLAT OF GOOSE RIDGE ESTATES PHASE 1, AS RECORDED IN VOLUME 15 OF PLATS AT PAGE 687, UNDER AUDITOR'S FILE NUMBER 2020-035566, RECORDS OF BENTON COUNTY, STATE OF WASHINGTON.

DECLARANT CERTIFICATE

DEFINITION OF THE METERS IN THE REAL STATE OF THE METERS IN THE REAL STATE DESCRIPTION OF THE METERS IN THE REAL STATE DESCRIPTION OF THE METERS IN THE REAL STATE DESCRIPTION OF THE METERS IN THE REAL STATE OF THE METERS IN TH

4-21-Z1 Weller & Mongon ACKNOWLEDGMENTS

STATE OF WASHINGTON COUNTY OF BEATTON IS.S.

BY ITS PROPER OFFICERS THIS AND DAY OF ADDITION THE DAY AND YEAR FIRST ABOVE WRITTEN, BEFORE ME PERSONALLY APPRAPER.

APPEARD:

NILLIAM H. MONOM

TO ME NOWN TO BE THE

CORPORATION THAT PERCEITED THE WITHIN AND FOREGOOD, BISTRUMENT,
AND ACHIOMORDO SAO INSTRUMENT FOR THE USES AND PRIPOSES

THEREIN METHORIDE, AND ON OATH STATED THAT HE WAS AUTHORIZED IT

DECUTE SAO INSTRUMENT.

IN WITNESS WHEREOF, I HAVE HEREON SET MY HAND AND OFFICIAL SEAL THE DAY AND YEAR FIRST ABOVE WRITTEN.

Boldbi K. Doloson

NOTARY PUBLIC IN AND FOR THE STATE OF WASHINGTON RESIDING AT CONTROL COUNTY WASHINGTON

NOTARY PUBLIC TATE OF WASHINGTO COMMISSION EXPIRE JULY 29, 2021

EQUIPMENT USED

3" TOTAL STATION USING STANDARD FIELD TRAVERSE METHODS FOR CONTROL AND STAKING.

BASIS OF BEARING

NAD 83/91 HELD A BEARING OF SOUTH 89° 06° 11° WEST FOR THE SOUTH LINE OF SECTION 32

SURVEYOR'S CERTIFICATE

THIS MAP CORRECTLY REPRESENTS A SURVEY MADE BY LIVE OR UNDER MID DIRECTION IN COMPONANCE WITH THE REQUIREMENTS OF THE SURVEY SURVEY OF THE SURVEY OF THE SURVEY OF THE SURVEY OF THE SURVEY OF CO. COM CONCEPT 22, 2020. I HEREBY CERTIFY THAT THIS WAS PIOT OF GOOSE RIGGE ESTATES PHASE 2 IS BASED UPON AN ACTUAL SURVEY OF THE PROPERTY HEREBY DESCRIBED. THAT THE BLANKINGS MO, DISTANCES



AUDITOR'S CERTIFICATE

FILED FOR RECORD AT THE REQUEST OF BILL MONSON, MANAGING MEMBER

ON PAGE 6769 RECORDS OF BENTON COUNTY, WASHINGTON, AT 24 MINUTES PAST 2:00 P.M., THIS 215 DAY OF APA 1 2020 A.D.

Brenda Chilton by Mary Books N 2021-019055
BENTON COUNTY AUDITOR REPORT FEE NUMBER

TREASURER'S CERTIFICATE I hereby certify that the taxes on the land described hereon have been paid to, and including the year 20% L1-3298-102-0012-000 TAX PARCEL NUMBER

KEWETH SPENCER BY Z. 4/21/2021 BILL Spencer by Chuy Drosen 04/21/2021

APPROVALS

THE ANNEXED PLAT IS HEREBY APPROVED BY AND FOR THE CITY OF RICHLAND, BENTON COUNTY, STATE OF WASHINGTON. 4/12/2021 4/12/2021 4/4/2021

IRRIGATION



CITY OF RICHLAND NOTES

ADDRESS NUMBERS [NOTED IN BRACKETS] ARE SUBJECT TO CHANGE BY THE CITY OF RICHLAND. ZIP CODE 99352.

7. LOTS 92, 94 AND 105 ARE REQUIRED TO CONTAIN AN ALTERNATE BUILDING TYPE AS DESCRIBED BY LUDR.

SINGLE S MU ARE TIME OF CONTENNAL SITE INVESTIGATION REPORT BY CH NORTHERN (ONL PRO), NO. 219-1006, A/5/2019) AND CHOCKSTRUCTHO GENERAL TO AN ADMINISTRATING SUMMARY LETTERS. PHASE R. ESTING (DARK DOR NO. 1-10) CHARGE STATE STATE STATES. PHASE R. CHOCKSTRUCTH OF CHARGE SOF WARPEN TO ADMINISTRATION SUPPORT CONSISTING OF 6-MODES OF WARPEN TO 1-1/4-MCH MINIS CRUSHED ROCK STRUCTURAL FILL, SHALL BE VERRED BY A REPRESENTATIVE OF THE GER PROPORT OF TOURNAMON CONSTRUCTION.


12. MAINTENANCE OF THE GRAVEL PATHWAY(S) AND ASSOCIATED EASEMENTS SHALL BE THE RESPONSIBILITY OF THE HOMEOWHER'S ASSOCIATION. THE CITY OF RIGHLAND MILL NOT BE RESPONSIBILE FOR CONSTRUCTION, MAINTENANCE OR REPAIR OF THE GRAVEL PATHWAY(S) AND THER ASSOCIATION EASEMENT.

SHEET INDEX

LEGAL DESCRIPTION, APPROVALS, OWNER'S CERT. SECTION SURVEY AND BOUNDARY DETAIL
 PLAT DETAIL
 LINE/CURVE TABLE FOR PLAT DETAIL


SURVEY FOR

MONSON DEVELOPMENT WASHINGTON, LLC 63615 EAST JACOBS ROAD BENTON CITY, WA 99320 PARCEL NO. 132981020012000









EASEMENT TABLE 🕖

- 1. 10 FOOT PUBLIC UTILITY EASEMENT.
- 2. 10 FOOT COMMUNICATION UTILITY EASEMENT.
- 3. 5 FOOT COMMUNICATION UTILITY EASEMENT
- TEMPORARY EMERGENCY TURNAROUND EASEMENT. THESE EASEMENTS AUTOMATICALLY VACATE UPON DEDICATION OF CONNECTING ROADS.

TRACT TABLE



LEGEND

- SET 5/8 REBAR AND CAP LS 38480
 SET CITY OF RICHLAND MONUMENT
 FOUND MONUMENT SET FOR PHASE 1
- F SEE EASEMENT TABLE ON SHEET 1
- (ABT) TYPE AS DESCRIBED BY LUDR. SEE NOTE 7.

PROPERTY CORNERS

SET 5/8 REBAR AND CAP LS 38480 AT ALL PROPERTY CORNERS

AUDITOR'S CERTIFICATE FILED FOR RECORD AT THE REQUEST OF BILL MONSON, MANAGING MEMBER

ON PAGE 0709 RECORDS OF BENTON COUNTY, WASHINGTON, AT 24MINUTES PAST 2:00 P.M., THIS 2154 DAY OF APRIL 2020 A.D.

Branda chilton by Mrmy Boahnout 2021-019065
BENTON COUNTY AUDITOR LANGUARY FEE NUMBER

SURVEYOR'S CERTIFICATE







GOOSE RIDGE ESTATES PHASE 2 PORTIONS OF THE NE 1/4 OF SECTION 32, TOWNSHIP 09 NORTH, RANGE 28 EAST, W.M., CITY OF RICHLAND, BENTON COUNTY, WASHINGTON.

LINE TABLE				CURVE TABLE					
LINE#	LENGTH	DIRECTION		CURVE #	LENGTH	RADIUS	DELTA	CHORD DIRECTION	CHORD LENGTH
L1	61.68	N64" 18" 56"W		C1	3.65	972.00	012'55"	S67" 53" 42"E	3.65
L2	20.15	S77" 57" 11"E		C2	2.76	1288.00	0'07'22"	S67" 58" 23"E	2.76
L3	67.95	S77" 57" 11"E		C3	110.06	972.00	6"29"15"	S71" 01" 53"E	110.00
L4	47.83	N77" 57" 11"W		C4	62.19	972.00	3*39'58"	S76" 06" 29"E	62.18
L5	68.64	N77" 57" 11"W		C5	3.65	971.95	012'55"	N67" 53' 42"W	3.65
L6	28.00	S21" 59" 50"W		C6	168.60	972.00	9"56"18"	S72" 58" 19"E	168.39
L7	28.00	S21" 59" 50"W		C7	25.60	1000.00	1"28'00"	S67" 16" 10"E	25.60
L8	97.88	S12" 02" 49"W		CB	173.66	1000.00	9"57"01"	N72" 58' 40"W	173.45
L9	16.33	S77" 57" 11"E		C9	178.53	1028.00	9"57"01"	N72" 58' 40"W	178.30
L10	99.24	S2" 34" 25"W		C10	91.85	1028.00	5"07"09"	S70" 33" 44"E	91.82
L11	5.15	S77" 57" 11"E		C11	86.68	1028.00	4'49'52"	S75" 32" 15"E	86.65
L12	68.16	S77" 57' 11"E		C12	33.84	1318.00	1"28"16"	S67" 17" 56"E	33.84
L13	28.39	S2" 34' 25"W		C14	222.97	1288.00	9"55"07"	N72" 59" 37"W	222.69
L14	28.39	S2" 34" 25"W		C15	117.42	1288.00	513'25"	S70" 31' 24"E	117.38
L15	5.39	N77" 57" 11"W		C16	108.30	1288.00	4"49"04"	S75' 32' 39"E	108.27
L16	91.00	N77" 57" 11"W		C17	228.16	1318.00	9"55"07"	N72" 59" 37"W	227.87
L17	123.10	N12" 02" 49"E		C18	233.35	1348.00	9"55"07"	S72" 59" 37"E	233.06
L18	30.00	N12" 02" 49"E		C19	73.33	1348.00	3'07'01"	N76" 23" 40"W	73.32
L19	30.00	N12" 02" 49"E		C20	80.01	1348.00	3"24"03"	N73" 08' 09"W	80.00
L20	9.71	N77" 57" 11"W		C21	80.01	1348.00	3'24'03"	N69" 44" 06"W	80.00
L21	80.00	N77" 57" 11"W		C22	80.56	1000.00	4'36'57"	S69" 50" 39"E	80.54
L22	6.68	N77" 57" 11"W		C23	2.76	1288.00	0'07'22"	N67" 58' 23"W	2.76
L23	30.00	S21" 57" 56"W		C24	78.31	972.00	4'36'57"	N69' 50' 39"W	78.29
L24	30.00	S21" 57" 56"W		C25	8.01	972.00	0"28"19"	S67" 46' 20"E	8.01
L25	21.93	N67' 32' 11"W		C26	70.30	972.00	4'08'38"	S70" 04" 49"E	70.28
L26	29.03	S2" 34" 25"W		C28	82.82	1028.00	4'36'57"	S69" 50" 39"E	82.80
L27	29.03	S2" 34" 25"W		C29	23.97	1028.00	1"20"10"	S68" 12" 16"E	23.97
L29	28.00	N22" 27" 49"E		C30	58.85	1028.00	316'47"	S70" 30" 45"E	58.84
L30	28.00	N22" 27" 49"E							
L31	30.98	N71" 45" 56"W							
L32	6.64	N71" 45' 56"W							
L33	30.47	N72" 09" 08"W							

SURVEYOR'S CERTIFICATE

L34 88.91 N77' 57' 11"W L35 60.06 S77' 57' 11"E L36 78.01 S72" 09" 08"E



AUDITOR'S CERTIFICATE

FILED FOR RECORD AT THE REQUEST OF BILL MONSON, MANAGING MEMBER FOR MONSON FAMILY DEVELOPMENT WASHINGTON, LLC., RECORDED IN VOLUME 15 OF PLATS,

ON PAGE 0709 RECORDS OF BENTON COUNTY, WASHINGTON, AT 24 MINUTES PAST 200 P.M., THIS 21St DAY OF April 2020 A.D.

Bronda Chillian by Illiany Ecalogy 2001-09055
BENTON COUNTY AUDITOR DIPARY FEE NUMBER

PLAT CLOSURE

NORTH: 327100.4016' EAST: 1937055.5264' SEGMENT #1 : LINE COURSE: N22' 12' 45.07'E LENGTH: 50.09' NORTH: 327146.7743' EAST: 1937074.4626' SEGMENT #2 : LINE COURSE: \$64* 18' 59.98'E LENGTH: 58.74' NORTH: 327121.3166' EAST: 1937127.3992'

SEGMENT #3 : LINE COURSE: \$77" 57" 10.66"E LENGTH: 73.77" NORTH: 327105.9197' EAST: 1937199.5446'

SEGMENT #4 : LINE COURSE: \$2" 34" 25.30"W LENGTH: 1202.20" NORTH: 325904.9324" EAST: 1937145.5606"

SEGMENT #5 : LINE COURSE: N71' 45' 56.49'W LENGTH: 134.19' NORTH: 325946.9209' EAST: 1937018.1089'

SEGMENT #8 : LINE COURSE: N67' 13' 02.48"W LENGTH: 268.43' NORTH: 326050.8668' EAST: 1936770.6217'

SEGMENT #7 : LINE COURSE: N22' 30' 02.07'E LENGTH: 113.25' NORTH: 326155.4957' EAST: 1936813.9617'

SEGMENT #8 : LINE COURSE: N22' 30' 02.07"E LENGTH: 0.15' NORTH: 326155.6343' EAST: 1936814.0191'

SEGMENT #9 : LINE COURSE: N22' 27' 48.91'E LENGTH: 56.00' NORTH: 326207.3851' EAST: 1936835.4165'

SEGMENT #10 : LINE COURSE: N67' 32' 10.73'W LENGTH: 149.96' NORTH: 326264.6845' EAST: 1936696.8351'

SEGMENT #11 : LINE COURSE: N22' 30' 02.07'E LENGTH: 105.00 NORTH: 326361.6915' EAST: 1936737.0179'

SEGMENT #12 : LINE COURSE: \$67° 32' 10.73"E LENGTH: 21.93' NORTH: 326353.3121' EAST: 1936757.2839'

SEGMENT #13 : LINE COURSE: N21" 57" 55,93"E LENGTH: 53.50" NORTH: 326402.9285" EAST: 1936777.2955

SEGMENT #14 : LINE COURSE: N21* 57' 55.93"E LENGTH: 118.48' NORTH: 326512.8079" EAST: 1936821.6128'

SEGMENT #15 : LINE COURSE: N21' 57' 55.93"E LENGTH: 60.00' NORTH: 326568.4524' EAST: 1936844.0557

NORTH: 3,50000-424* E.S.: 13,50004-0007

SOGNET #8 10 CURVE
LENGTH: 2,76" RADUS: 1288.00"

DELTA: 0,7072 (1005) TANGENT: 1,36"

CHORD: 2,76" COURSE: N67' 56' 22,97"W

COURSE: N. N67' 55' 52,75" COURSE: 007: 522' 05' 18,14"W

RP NORTH: 3,27762,3502" EAST: 18,7538,341-437", 358,041-4

SEGMENT #17 : LINE COURSE: N22' 30' 02.07"E LENGTH: 129.66' NORTH: 326689.2773' EAST: 1936891.1171'

SEGMENT #18 : LINE COURSE: N22" 30" 02.07"E LENGTH: 130.39" NORTH: 326809.7414" EAST: 1936941.0164"

SEGMENT #19 : LINE COURSE: N21' 59' 50.10"E LENGTH: 56.00' NORTH: 326861.6647' EAST: 1936961.9919'

SCHIENT #20 : CURVE ENGIN: 5.65" R. ADELTA: 0.1255 (DWIS) 972.00" ELTA: 0.1255 (DWIS) TANGENI: 1.83" CHORD: 3.65" COURSE: N67" 53" 42.45"W COURSE: N67" 25" 62.00" COURSE: 0.125" 55" 0.10" ESCUIS: 0.125" 55" 0.10" ESCUIS: 0.125" 55" 0.10" ESCUIS: 0.125" 55" 0.10" ESCUIS: 0.125" 0.12

SEQUENT #21 : LINE
COURSE: M27: 12 *55.07* LENGTH: 256.38*
MORTH: 327100.3917* EAST: 1937055.5329*
FERRIFICER: 3044-54* ARE: 3564-90.82 SQ. FT.
ERROR CLOSHRE: -0.0018 COURSE: S33* 13' 47.77*E
ERROR NORTH: -0.0097 EAST: 0.00417*



